

## Usage Guideline

# **AZ- ProprietaryMessageV03\_pain.998.001.03\_G ET\_STATUS**

Azerbaijan IPS

This document describes a usage guideline restricting the base message pain.998.001.03. You can also consult this [information online](#).

Published by CMA Small Systems and generated by [MyStandards](#).

26 April 2019

<b>Table of Content</b>	<b>2</b>
<b>Message Functionality</b>	<b>3</b>
<b>About this document</b>	<b>4</b>
<b>Usage Guideline</b>	<b>5</b>
<b>Legal Notices</b>	<b>7</b>

## Message Functionality

### Collection Description

Azerbaijan IPS ([link](#))

Message format description for Azerbaijan IPS project.

### Usage Guideline Description

AZ-ProprietaryMessageV03\_pain.998.001.03\_GET\_STATUS ([link](#))

It is used by financial institutions, with their own offices, or with other financial institutions with which they have established bilateral agreements. It is used as an envelope for a specified message included in it.

### Outline

The AZ-ProprietaryMessageV03\_pain.998.001.03\_GET\_STATUS message is composed of 2 building blocks

#### **a - Message Header**

Uniquely identifies the message.

#### **b - Proprietary Data**

Business content of this element is not specified.

## About this document

### Legend

Abbreviation	Term	Description
X	Excluded	An optional field or element must not be populated.
I	Ignored	A field or element could be populated but is ignored by the receiver.
[x..y]	Multiplicity	A field or element multiplicity has changed.
FV	Fixed Value	A field or element must contain a given value.
T/C	Type / Code Change	A user-defined datatype replaces an existing simple datatype.
A	Element Added	A field or element has been added.

Header	Description
Index	Element reference
LvL	Element nesting in tree hierarchy
Name	Element name
XML Tag	Element XML tag
Mult	Element multiplicity
Type / Code	Element formatting
Rest	Restriction type
Additional details	Other restriction specifics

Type/Code Notation	Describes the Element	Examples
text{m,M}	minimum (m) and maximum (M) length	text{1,35}
text{L}	maximum (L) length, minimum length is 0	test{10}
m <= decimal <= M	minimum (m) and maximum (M) values	0.01 <= decimal <= 9999.99
fd = F, td = T	maximum fractional (F) and total (T) number of digits	fd = 2, td = 11
<<regular expression>>	regular expression pattern	[A-Z]{6,6}([A-Z0-9]{3,3}){0,1}

Index	Level	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	0	Payment Initiation Proprietary Message V03 (pain.998.001.03)	<PmtInitnPrtryMsg>				
	1	Message Header	<MsgHdr>	[0..1]		[1..1]	
	2	Message Identification	<MsgId>	[1..1]	text{1,35}	T/C	Type Changed: text{1,35} [0-9a-zA-Z/\- \?:\(\)\.,'+ ]{1,35}
	2	Creation Date Time	<CreDtTm>	[0..1]	dateTime		
	1	Related	<Rltd>	[0..1]		X	
	1	Previous	<Prvs>	[0..1]		X	
	1	Other	<Othr>	[0..1]		X	
	1	Proprietary Data	<PrtryData>	[1..1]			
	2	Type	<Tp>	[1..1]	text{1,35}		Comment: Contains "cma.cstmrPmtStatusReq.001.01"
	2	Data	<Data>	[1..1]			Extension: Document of type Document_SR1 can be used as extension.
	3	Document	<Document>	[1..1]		A	Comment: Document tag must contain xmlns definition <Document xmlns="urn:cma:xsd:cma.cstmrPmtStatusReq.001.01">
	4	Customer Payment Status Request	<CstmrPmtStsReq>	[1..1]		(A)	
	5	Original Group Information	<OrgnlGrpInf>	[1..1]		(A)	
	6	Original Message Identification	<OrgnlMsgId>	[1..1]	text{1,35} [0-9a-zA-Z/\- \?:\(\)\.,'+ ]{1,35}	(A)	
	6	Original Message Name Identification	<OrgnlMsgNmId>	[1..1]	text{1,35}	(A)	
	6	Original Creation Date Time	<OrgnlCreDtTm>	[0..1]	dateTime	(A)	
	5	Original Payment Information	<OrgnlPmtInf>	[1..1]		(A)	
	6	Original Payment Information Identification	<OrgnlPmtInfId>	[1..1]	text{1,35} [0-9a-zA-Z/\- \?:\(\)\.,'+ ]{1,35}	(A)	
	6	Requested Execution Date	<ReqdExctnDt>	[1..1]	date	(A)	
	6	Initiating Party	<InitgPty>	[1..1]		(A)	
	7	Identification	<Id>	[1..1]	Choice	(A)	

Index	Level	Name	XML Tag	Mult	Type / Code	Rest r	Additional details
	8	Organisation Identification	<OrgId>	[1..1]		(A)	
	9	Any BIC	<AnyBIC>	[0..1]	text [A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}	(A)	
	9	Other	<Othr>	[0..1]		(A)	
	10	Identification	<Id>	[1..1]	text{1,35} [0-9a-zA-Z\-\?:(\)\.,'+ ]{1,35}	(A)	
	10	Scheme Name	<SchmeNm>	[0..1]		(A)	
	11	Proprietary	<Prtry>	[1..1]	text{1,35} [0-9a-zA-Z\-\?:(\)\.,'+ ]{1,35}	(A)	

## Legal Notices

### Copyright

SWIFT SCRL © 2019. All rights reserved.

This material is a component of MyStandards, the SWIFT collaborative Web application used to manage standards definitions and industry usage. It can only be used and distributed in accordance with MyStandards Terms of Use.

Unless otherwise agreed in writing with SWIFT SCRL, you have no right to:

- authorise external end users to use this component for other purposes than their internal use.
- remove, alter, cover, obfuscate or cancel from view any copyright or other proprietary rights notices appearing in this physical medium.
- re-sell or authorise another party e.g. software and service providers, to re-sell this component.

### Confidentiality

This publication may contain SWIFT or third-party confidential information. Only disclose it outside your organisation in accordance with MyStandards Terms of Use and your related license rights.

This component is provided 'AS IS'. SWIFT does not give and excludes any express or implied warranties with respect to this component such as but not limited to any guarantee as to its quality, supply or availability.

Any and all rights, including title, ownership rights, copyright, trademark, patents, and any other intellectual property rights of whatever nature in this component will remain the exclusive property of SWIFT or its licensors.

### Trademarks and Patents

SWIFT is the trade name of S.W.I.F.T. SCRL. The following are registered trademarks of SWIFT:

SWIFT, the SWIFT logo, 3SKey, Innotribe, Sibos, SWIFTNet, MyStandards, SWIFTReady, and Accord. Other product, service, or company names in this publication are trade names, trademarks, or registered trademarks of their respective owners..